



# HALLMARK Industries



12 Ryan Place Manukau Auckland

Ph: 09 262 2778

Fax: 09 262 2769

[www.hallmarkindustries.co.nz](http://www.hallmarkindustries.co.nz)

[sales@hallmarkindustries.co.nz](mailto:sales@hallmarkindustries.co.nz)

# Table of Contents

| <b>Group:</b>                                    | <b>Page</b>  |
|--|--------------|
| <b>Brass Products:</b>                           | <b>1-2</b>   |
| <b>Brass Barrel Nipple:</b>                      | <b>3</b>     |
| <b>Valve Products:</b>                           | <b>4</b>     |
| <b>Ball Valves:</b>                              | <b>5</b>     |
| <b>Copper Fitting and Tube Products:</b>         | <b>6-7</b>   |
| <b>Waste Products:</b>                           | <b>8</b>     |
| <b>Taps Products:</b>                            | <b>9</b>     |
| <b>Hose and Tubes:</b>                           | <b>10</b>    |
| <b>Clips Products:</b>                           | <b>11</b>    |
| <b>EzyPress<sup>®</sup> Fitting and AZS Tube</b> | <b>12-15</b> |
| <b>REMS Tool For EzyPress<sup>®</sup></b>        | <b>16</b>    |
| <b>Pex B Fitting and Pipe</b>                    | <b>17-18</b> |

**Confidential To: Hallmark Industries' Customer**  
**Prices are per unit and do not include GST**



## Freight Policy

### **Standard delivery excluding copper tube!**

Where possible all orders received by 3.00pm going to the North Island will arrive within 24 hours. All orders going to the South Island will arrive within 48 hours.

All orders that exceed \$300.00 + GST will be dispatched FREE of charge by our normal freight method.

Orders for less than \$300.00 + GST will be charged the following and delivery time frame as above.

|   |             |
|---|-------------|
| Auckland (Orewa to Pukekohe) Under25kg                                    | \$5.00+GST  |
| Shorthaul (Whangarei, Hamilton, Tauranga, Rotorua, Taupo)<br>(Under 20kg) | \$9.00+GST  |
| Lower North (overnight) under 10kg  | \$9.00+GST  |
| Lower North (Overnight) under 20kg  | \$11.00+GST |
| South Island (2 working days) under 10kg                                  | \$15.00+GST |
| South Island (2 working days) under 20kg                                  | \$22.00+GST |
| South Island (Overnight) under 20kg                                       | \$40.00+GST |








### **Copper Tube delivery!**







Copper Tube is delivered free of charge into stores based on a minimum order of \$1000.00+GST.

### **Urgent delivery!**








All amounts relating to these charges will be passed onto customer prior to sending or unless otherwise released by Hallmark Industries Sales Management.

## Brass Fitting














| Image   | Code       | Package |
|---|------------|---------|
| <b>BRASS FEMALE HEXAGON SOCKETS</b>   |            |         |
|     | H-BHS15    | 20      |
|   | H-BHS20    | 20      |
|   | H-BHS25    | 10      |
|   | H-BHS32    | 5       |
|   | H-BHS40    | 10      |
|   | H-BHS50    | 6       |
| <b>BRASS FEMALE SOCKETS</b>   |            |         |
|    | H-BFS15    | 30      |
|   | H-BFS20    | 20      |
|   | H-BFS25    | 10      |
| <b>BRASS FEMALE SOCKETS- REDUCING</b>   |            |         |
|    | H-BHRS2015 | 20      |
|   | H-BHRS2515 | 10      |
|   | H-BHRS2520 | 10      |
| <b>BRASS HEXAGON NIPPLES</b>  |            |         |
|    | H-BHN15    | 50      |
|   | H-BHN15C   | 10      |
|   | H-BHN20    | 25      |
|   | H-BHN25    | 20      |
|   | H-BHN32    | 10      |
|   | H-BHN40    | 10      |
|   | H-BHN50    | 5       |
| <b>BRASS HEXAGON NIPPLES-REDUCING</b>   |            |         |
|   | H-BRN1510  | 50      |
|   | H-BRN2015  | 20      |
|   | H-BRN2515  | 8       |
|   | H-BRN2520  | 20      |
|   | H-BRN3215  | 10      |
|   | H-BRN3220  | 10      |
|   | H-BRN3225  | 10      |
|   | H-BRN4020  | 10      |
|   | H-BRN4025  | 10      |
|   | H-BRN4032  | 10      |
|   | H-BRN5020  | 10      |
|   | H-BRN5025  | 10      |
|   | H-BRN5032  | 10      |
|   | H-BRN5040  | 5       |
| <b>BRASS FEMALE ELBOW 90°</b>   |            |         |
|   | H-BFE9015  | 50      |
|   | H-BFE9020  | 10      |
|   | H-BFE9025  | 5       |
|   | H-BFE9032  | 8       |
|   | H-BFE9040  | 6       |
|   | H-BFE9050  | 4       |
| <b>BRASS FEMALE ELBOW 45°</b>   |            |         |
|  | H-BFE4515  | 5       |
|   | H-BFE4520  | 5       |
|   | H-BFE4525  | 5       |

| Image  | Code                   | Package |
|--|------------------------|---------|
| <b>BRASS FEMALE UNION</b>  |                        |         |
|    | H-BUF15                | 10      |
|  | H-BUF20                | 5       |
|  | H-BUF25                | 1       |
|  | H-BUF32                | 1       |
|  | H-BUF40                | 1       |
|  | H-BUF50                | 1       |
| <b>BRASS MALE/FEMALE UNION</b>   |                        |         |
|    | H-BUMF15               | 1       |
|  | H-BUMF20               | 1       |
|  | H-BUMF25               | 1       |
|  | H-BUMF32               | 1       |
|  | H-BUMF40               | 1       |
|  | H-BUMF50               | 1       |
| <b>BRASS HEXAGON REDUCING BUSHES M/F</b>   |                        |         |
|   | H-BRB1508              | 20      |
|  | H-BRB1510              | 20      |
|  | H-BRB2015              | 50      |
|  | H-BRB2515              | 20      |
|  | H-BRB2520              | 20      |
|  | H-BRB3215              | 10      |
|  | H-BRB3220              | 10      |
|  | H-BRB3225              | 10      |
|  | H-BRB4020              | 10      |
|  | H-BRB4025              | 10      |
|  | H-BRB4032              | 10      |
|  | H-BRB5015              | 5       |
|  | H-BRB5020              | 5       |
|  | H-BRB5025              | 5       |
|  | H-BRB5032              | 10      |
|  | H-BRB5040              | 10      |
| <b>BRASS HEXAGON BRAZING BUSHES (COPPER)</b>   |                        |         |
|  | H-BB15C                | 50      |
|  | H-BB20C                | 30      |
|  | H-BB25C                | 20      |
|  | H-BB32C                | 20      |
|  | H-BB40C                | 10      |
|  | H-BB50C                | 10      |
|  | <b>BRASS BLIND CAP</b> |         |
|  | H-BC15                 | 50      |
|  | H-BC20                 | 25      |
|  | H-BC25                 | 10      |
|  | H-BC32                 | 10      |
|  | H-BC40                 | 5       |
|  | H-BC50                 | 5       |
| <b>BRASS FLANGED BACKNUTS</b>  |                        |         |
|  | H-BFBN15               | 50      |
|  | H-BFBN20               | 10      |
|  | H-BFBN25               | 10      |
|  | H-BFBN32               | 10      |
|  | H-BFBN40               | 10      |
|  | H-BFBN50               | 20      |

\* Hallmark Industries supplies plumbing industry a CW602N grade DR Brass fitting. We guarantee our brass fittings meet these criteria.

| Image   | Code         | Package |
|---|--------------|---------|
| <b>BRASS FEMALE TEE</b>   |              |         |
|     | H-BFT15      | 10      |
|   | H-BFT20      | 10      |
|   | H-BFT25      | 5       |
|   | H-BFT32      | 4       |
|   | H-BFT40      | 1       |
|   | H-BFT50      | 1       |
| <b>BRASS FEMALE TEE - REDUCING</b>  |              |         |
|   | H-BFRT202015 | 1       |
|   | H-BFRT252515 | 1       |
|   | H-BFRT252520 | 1       |
| <b>BRASS HEXAGON PLUGS</b>  |              |         |
|     | H-BP15       | 50      |
|   | H-BP20       | 30      |
|   | H-BP25       | 20      |
|   | H-BP32       | 10      |
|   | H-BP40       | 5       |
|   | H-BP50       | 5       |
| <b>BRASS HEXAGON PLUGS SQUARE</b>   |              |         |
|   | H-BP15S      | 50      |
|   | H-BP20S      | 50      |
| <b>BRASS CROX NUTS</b>  |              |         |
|   | H-BCN15      | 50      |
|   | H-BCN20      | 50      |
|   | H-BCN25      | 20      |
|   | H-BCN32      | 20      |
|   | H-BCN40      | 10      |
|   | H-BCN50      | 5       |
| <b>BRASS EXTENSION SOCKETS M/F</b>  |              |         |
|   | H-BSMF15     | 50      |
|   | H-BSMF15C    | 40      |
|   | H-BSMF1532   | 20      |
|   | H-BSMF20     | 20      |
|   | H-BSMF20C    | 1       |
|   | H-BSMF25     | 20      |
|   | H-BSMF32     | 10      |
|   | H-BSMF40     | 10      |
|   | H-BSMF50     | 2       |
| <b>BRASS REDUCING SOCKETS M/F</b>   |              |         |
|   | H-BRS2015    | 50      |
|   | H-BRS2515    | 20      |
|   | H-BRS2520    | 20      |
|   | H-BRS3225    | 1       |
|   | H-BRS5040    | 5       |
| <b>BRASS LUG NIPPLES</b>  |              |         |
|   | H-BLN15      | 20      |
| <b>BRASS CROX ELBOW WITH NUTS</b>   |              |         |
|  | H-BCE15      | 20      |
|   | H-BCE20      | 10      |
|   | H-BCE25      | 5       |
| <b>BRASS NIPPLING TUBES</b>   |              |         |
|  | H-BNT15600   | 2       |
|   | H-BNT20600   | 2       |

all products can be identified with our signature trade-mark "H" brand stamped on the fittings


| Image  | Code         | Package |
|--|--------------|---------|
| <b>BRONZE BRAZING BRACKET ELBOW</b>  |              |         |
|    | H-BBE15      | 20      |
|  | H-BBE20      | 10      |
|  | H-BBE2015    | 10      |
| <b>BRONZE MALE BRAZING BRACKET ELBOW 42MM LONG</b>                                   |              |         |
|    | H-BBEM1542   | 10      |
| <b>BRONZE FEMALE BRAZING HOSE PLATE</b>  |              |         |
|    | H-BHP15B     | 20      |
| <b>BRONZE BRAZING BRACKET TEE</b>  |              |         |
|    | H-BBT15      | 20      |
| <b>BRASS CROX TO FEMALE BRACKET ELBOW WITH NUT</b>                                   |              |         |
|    | H-BCBE15     | 5       |
| <b>BRASS FEMALE BRACKET ELBOW-PVC</b>  |              |         |
|  | H-BBE15P     | 10      |
|  | H-BBE20P     | 5       |
| <b>BRASS HOSE PLATE -PVC</b>   |              |         |
|  | H-BHP15      | 30      |
| <b>BRASS WASHING MACHING NIPPLE</b>  |              |         |
|  | H-BWMN2015   | 50      |
| <b>C.P.Slide Shower Wall Elbow M/F</b>   |              |         |
|  | H-BSE15      | 1       |
| <b>BRASS CROX TO MALE ELBOW WITH NUT</b>   |              |         |
|  | H-BCME15     | 10      |
|  | H-BCME20     | 10      |
| <b>BRASS CROX TEE WITH NUTS</b>  |              |         |
|  | H-BCT15      | 10      |
|  | H-BCT20      | 10      |
|  | H-BCT25      | 5       |
| <b>BRASS CROX REDUCING TEE WITH NUTS</b>   |              |         |
|  | H-BCRT202015 | 10      |
| <b>BRASS BINDER TEE (END-END-BRANCH)</b>   |              |         |
|  | H-BBT1508    | 25      |
|  | H-BBT2008    | 30      |
|  | H-BBT2508    | 10      |
| <b>BRASS CROX TO FEMALE ELBOW WITH NUT</b>   |              |         |
|  | H-BCFE15     | 20      |
|  | H-BCFE20     | 10      |
|  | H-BCFE25     | 5       |

## Brass Barrel Nipples





| Image   | Code     | Package |
|---|----------|---------|
| <b>BRASS BARREL NIPPLES 15MM</b>  |          |         |
|    | H-BN1532 | 20      |
|   | H-BN1535 | 10      |
|   | H-BN1540 | 50      |
|   | H-BN1545 | 20      |
|   | H-BN1550 | 20      |
|   | H-BN1560 | 20      |
|   | H-BN1565 | 20      |
|   | H-BN1570 | 15      |
|   | H-BN1575 | 10      |
|   | H-BN1580 | 15      |
|   | H-BN1590 | 10      |
| H-BN15100   | 10       |         |
| H-BN15150   | 1        |         |
| <b>BRASS BARREL NIPPLES 20MM</b>  |          |         |
|  | H-BN2032 | 10      |
|   | H-BN2035 | 10      |
|   | H-BN2040 | 30      |
|   | H-BN2045 | 30      |
|   | H-BN2050 | 20      |
|   | H-BN2060 | 10      |
|   | H-BN2065 | 20      |
|   | H-BN2070 | 10      |
|   | H-BN2075 | 10      |
|   | H-BN2080 | 10      |
|   | H-BN2090 | 10      |
| H-BN20100   | 10       |         |
| H-BN20150   | 10       |         |

| Image  | Code      | Package |
|--|-----------|---------|
| <b>BRASS BARREL NIPPLES 25MM</b>   |           |         |
|    | H-BN2540  | 10      |
|  | H-BN2550  | 10      |
|  | H-BN2560  | 10      |
|  | H-BN2570  | 10      |
|  | H-BN2580  | 10      |
|  | H-BN25100 | 5       |
|  | H-BN25150 | 10      |
| <b>BRASS BARREL NIPPLES 32MM</b>   |           |         |
|    | H-BN3250  | 1       |
|  | H-BN3260  | 1       |
|  | H-BN3270  | 1       |
|  | H-BN3280  | 1       |
|  | H-BN32100 | 1       |
|  | H-BN32150 | 1       |
| <b>BRASS BARREL NIPPLES 40MM</b>   |           |         |
|  | H-BN4050  | 1       |
|  | H-BN4060  | 1       |
|  | H-BN4070  | 5       |
|  | H-BN4080  | 1       |
|  | H-BN40100 | 1       |
|  | H-BN40150 | 2       |
| <b>BRASS BARREL NIPPLES 50MM</b>   |           |         |
|  | H-BN5050  | 1       |
|  | H-BN5060  | 1       |
|  | H-BN5070  | 1       |
|  | H-BN5080  | 1       |
|  | H-BN50100 | 1       |
|  | H-BN50150 | 1       |

**NEW  
PRODUCT**

| <b>BRASS REDUCING SOCKETS M/F</b>  |           |    |
|--|-----------|----|
|  | H-BRS1510 | 50 |
|  | H-BRS2015 | 50 |
|  | H-BRS2515 | 20 |
|  | H-BRS2520 | 20 |
|  | H-BRS3220 | 10 |
|  | H-BRS3225 | 10 |
|  | H-BRS4032 | 10 |
|  | H-BRS5040 | 5  |

## Valves Product






| Image  | Code       | Package |
|--|------------|---------|
| <b>BRASS GATE VALVES-HEAVY DUTY</b>  |            |         |
|    | H-VG15FF   | 1       |
|  | H-VG15MF   | 1       |
|  | H-VG15MM   | 1       |
|  | H-VG20FF   | 1       |
|  | H-VG20MF   | 1       |
|  | H-VG20MM   | 1       |
|  | H-VG25F    | 1       |
|  | H-VG32F    | 1       |
|  | H-VG40F    | 1       |
|  | H-VG50F    | 1       |
| H-VG65F  | 1          |         |
| H-VG80F  | 1          |         |
| H-VG100F   | 1          |         |
| <b>BRASS TEST POINT</b>  |            |         |
|   | H-BTP08    | 50      |
| <b>BRONZE VALL VALVE+STRAINERS</b>   |            |         |
|  | H-VBLS15B  | 1       |
|  | H-VBLS20B  | 1       |
|  | H-VBLS25B  | 1       |
| <b>BRASS BALLCOCKS STAINLESS STEEL SEATS</b>                                       |            |         |
|  | H-BC15HPA  | 4       |
|  | H-BC15LPA  | 4       |
|  | H-BC20HPA  | 4       |
|  | H-BA220    | 1       |
|  | H-BCF/F20P | 6       |
|  | H-BCF/F25P | 6       |
| H-BA69   | 1          |         |

### Swing Check Valves/Gate Valves

- \* Pressure Rating: 1.6MPa
- \* Working Medium: Water, Oil, Steam
- \* Working Temperature:  $t \leq 170^{\circ}\text{C}$
- \* Pipe Thread to ISO228

### Mini Ball Valve

- \* Pressure Rating: 2.0MPa
- \* Working Medium: Water, Oil, Gas
- \* Working Temperature:  $t \leq 120^{\circ}\text{C}$
- \* Pipe Thread to ISO228/ Nickel Plated







| Image  | Code                                 | Package |
|--|--------------------------------------|---------|
| <b>BRASS BALLOFIX (MINI) VALVES</b>  |                                      |         |
|    | H-VBM15MF                            | 20      |
|  | H-VBM20MF                            | 6       |
|  | H-VBM15MFS                           | 10      |
| <b>PVC COMPACT BALL VALVES</b>   |                                      |         |
|    | H-VBP15                              | 1       |
|  | H-VBP20                              | 1       |
|  | H-VBP25                              | 1       |
|  | H-VBP32                              | 1       |
|  | H-VBP40                              | 1       |
|  | H-VBP50                              | 1       |
|  | H-VBP65                              | 1       |
|  | H-VBP80                              | 1       |
|  | H-VBP100                             | 1       |
|  | <b>BRASS SPRING CHECK VALVES F/F</b> |         |
|  | H-VCSP15                             | 20      |
|  | H-VCSP20                             | 10      |
|  | H-VCSP25                             | 9       |
|  | H-VCSP32                             | 6       |
|  | H-VCSP40                             | 3       |
|  | H-VCSP50                             | 2       |
| <b>BRASS SWING CHECK VALVES F/F</b>  |                                      |         |
|  | H-VCS15                              | 12      |
|  | H-VCS20                              | 1       |
|  | H-VCS25                              | 1       |
|  | H-VCS32                              | 1       |
|  | H-VCS40                              | 1       |
|  | H-VCS50                              | 1       |
|  | H-VCS65                              | 1       |
|  | H-VCS80                              | 1       |
|  | H-VCS100                             | 1       |
| <b>BRONZ INLINE Y STRAINERS W/ST ST MESH</b>   |                                      |         |
|  | H-BIF15B                             | 1       |
|  | H-BIF20B                             | 1       |
|  | H-BIF25B                             | 1       |
|  | H-BIF32B                             | 1       |
|  | H-BIF40B                             | 1       |
|  | H-BIF50B                             | 1       |

### Spring Check Valves

- \* Pressure Rating: 1.0MPa
- \* Working Medium: Water, Oil, Gas
- \* Working Temperature:  $t \leq 110^{\circ}\text{C}$
- \* Pipe Thread to ISO228




### Ballcock



- \* Pressure Rating: 0.6MPa
- \* Working Medium: Water
- \* Working Temperature:  $t \leq 90^{\circ}\text{C}$
- \* Pipe Thread to ISO228

| WATER MARK BALL VALVES  |            |    |
|---|------------|----|
| <b>DR BRASS BALL VALVES L/H(St/Steel) N/P -F/F</b>                                  |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|     | H-VBLF15W  | 1  |
|   | H-VBLF20W  | 1  |
|   | H-VBLF25W  | 1  |
|   | H-VBLF32W  | 1  |
|   | H-VBLF40W  | 1  |
|   | H-VBLF50W  | 1  |
| <b>DR BRASS BALL VALVES T/HANDLE N/P -FEMALE</b>                                    |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|    | H-VBTF15W  | 1  |
|   | H-VBTF20W  | 1  |
|   | H-VBTF25W  | 1  |
| <b>DR BRASS BALL VALVES L/H(St/Steel) N/P -M/F</b>                                  |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|    | H-VBLMF15W | 1  |
|   | H-VBLMF20W | 1  |
| <b>DR BRASS BALL VALVES T/HANDLE N/P -M/F</b>                                       |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|   | H-VBTMF15W | 1  |
|   | H-VBTMF20W | 10 |
|   | H-VBTMF25W | 1  |
| <b>DR BRASS BALL VALVES T/HANDLE N/P -M/M</b>                                       |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|  | H-VBTM15W  | 10 |
|   | H-VBTM20W  | 10 |
| <b>DR BRASS BALL VALVES T/H N/P SWIVEL NUT</b>                                      |            |    |
| <b>WaterMark Certificate No. 23019</b>  |            |    |
|  | H-VBTF20SW | 1  |

| AGA Certified Gas Ball Valves  |            |   |
|--|------------|---|
| <b>AGA CERTIFIED GAS BALL VALVES L/H (St/Steel) N/P</b>                              |            |   |
| <b>AGA Certificate No. 7914</b>  |            |   |
|    | H-VBLF08G  | 1 |
|  | H-VBLF10G  | 1 |
|  | H-VBLF15G  | 1 |
|  | H-VBLF20G  | 1 |
|  | H-VBLF25G  | 1 |
|  | H-VBLF32G  | 1 |
|  | H-VLBF40G  | 1 |
|  | H-VBLF50G  | 1 |
| <b>AGA CERTIFIED GAS BALL VALVES T/H N/P -FEMALE</b>                                 |            |   |
| <b>AGA Certificate No. 7914</b>  |            |   |
|    | H-VBTF08G  | 1 |
|  | H-VBTF10G  | 1 |
|  | H-VBTF15G  | 1 |
|  | H-VBTF20G  | 1 |
| <b>AGA CERTIFIED GAS BALL VALVES L/H (St/Steel) N/P</b>                              |            |   |
| <b>AGA Certificate No. 7914</b>  |            |   |
|   | H-VBTMF08G | 1 |
|  | H-VBTMF10G | 1 |
|  | H-VBTMF15G | 1 |
|  | H-VBTMF20G | 1 |
| <b>AGA GAS BALL VALVES T/H N/P SWIVEL NUT</b>  |            |   |
| <b>AGA Certificate No. 7914</b>  |            |   |
|  | H-VBTF20SG | 1 |







## WATER BALL VALVES







| BRASS BALL VALVES L/HANDLE (St/Steel) N/P -F/F                                     |            |    |
|--|------------|----|
|  | H-VBLF15S  | 8  |
|  | H-VBLF20S  | 6  |
|  | H-VBLF25S  | 9  |
|  | H-VBLF32S  | 5  |
|  | H-VBLF40S  | 4  |
|  | H-VBLF50S  | 2  |
| <b>BRASS BALL VALVES L/T N/P MALE/MALE</b>   |            |    |
|  | H-VBLM15S  | 10 |
|  | H-VBLM20S  | 8  |
| <b>BRASS BALL VALVES L/HANDLE(St/Steel) N/P -M/F</b>                               |            |    |
|  | H-VBLMF20S | 8  |

| BRASS BALL VALVES T/HANDLE N/P -M/F  |            |   |
|--|------------|---|
|  | H-VBTMF20S | 8 |
| <b>BRASS BALL VALVES T/HANDLE N/P -FEMALE</b>  |            |   |
|  | H-VBTF20S  | 8 |



## Copper Fitting

| Image   | Code       | Package |
|---|------------|---------|
| <b>COPPER BRAZING COUPLERS</b>  |            |         |
|     | H-FCC15    | 20      |
|   | H-FCC20    | 20      |
|   | H-FCC25    | 25      |
|   | H-FCC32    | 10      |
|   | H-FCC40    | 10      |
|   | H-FCC50    | 5       |
| <b>COPPER BRAZING REDUCERS -SINGLE STEP</b>   |            |         |
|     | H-FCR1510  | 20      |
|   | H-FCR2015  | 25      |
|   | H-FCR2510  | 20      |
|   | H-FCR2515  | 20      |
|   | H-FCR2520  | 25      |
|   | H-FCR3220  | 10      |
|   | H-FCR3225  | 10      |
|   | H-FCR4020  | 10      |
|   | H-FCR4025  | 10      |
|   | H-FCR4032  | 10      |
|   | H-FCR5025  | 10      |
|   | H-FCR5032  | 10      |
|   | H-FCR5040  | 10      |
|   | H-FCR6520  | 10      |
| H-FCR6525   | 10         |         |
| H-FCR6532   | 2          |         |
| H-FCR6550   | 2          |         |
| H-FCR8065   | 1          |         |
| <b>COPPER BRAZING ELBOWS-90° -SHORT RADIUS</b>                                      |            |         |
|  | H-FCES9015 | 25      |
|   | H-FCES9020 | 25      |
|   | H-FCES9025 | 10      |
| <b>COPPER BRAZING ELBOWS-90° -Exp 2 Ends</b>  |            |         |
|   | H-FCE9015  | 10      |
|   | H-FCE9020  | 5       |
|   | H-FCE9025  | 5       |
|   | H-FCE9032  | 1       |
|   | H-FCE9040  | 5       |
|   | H-FCE9050  | 2       |
|   | H-FCE9065  | 1       |
|   | H-FCE9080  | 1       |
|   | H-FCE90100 | 1       |
| <b>COPPER BRAZING BENDS-90° -Exp 1 End</b>  |            |         |
|  | H-FCB9015  | 10      |
|   | H-FCB9020  | 10      |
|   | H-FCB9050  | 2       |
| <b>COPPER BRAZING CROSSES - EQUAL</b>   |            |         |
|  | H-FCX15    | 5       |
|   | H-FCX20    | 5       |
| <b>COPPER BRAZING CROSSES - REDUCING</b>  |            |         |
|   | H-FCRX2015 | 5       |

| Image  | Code         | Package |
|--|--------------|---------|
| <b>COPPER BRAZING ELBOWS-45° -Exp 2 Ends</b>   |              |         |
|    | H-FCE4515    | 25      |
|  | H-FCE4520    | 25      |
|  | H-FCE4525    | 1       |
|  | H-FCE4532    | 4       |
|  | H-FCE4540    | 9       |
|  | H-FCE4550    | 2       |
| <b>COPPER BRAZING BENDS-45° -Exp 1 End</b>   |              |         |
|    | H-FCB4515    | 25      |
|  | H-FCB4520    | 10      |
|  | H-FCB4525    | 10      |
|  | H-FCB4532    | 10      |
| <b>COPPER BRAZING ELBOWS-180° -Exp 2 Ends</b>  |              |         |
|    | H-FCE18020   | 5       |
| <b>COPPER BRAZING TEE -EQUAL</b>   |              |         |
|  | H-FCT15      | 10      |
|  | H-FCT20      | 5       |
|  | H-FCT25      | 10      |
|  | H-FCT32      | 5       |
|  | H-FCT40      | 2       |
|  | H-FCT50      | 2       |
|  | H-FCT65      | 1       |
|  | H-FCT80      | 5       |
|  | H-FCT100     | 1       |
|  | H-FCT150     | 1       |
| <b>COPPER BRAZING TEE -REDUCING -(END-END-BRANCH)</b>                                |              |         |
|  | H-FCRT202015 | 5       |
|  | H-FCRT201520 | 10      |
|  | H-FCRT252515 | 10      |
|  | H-FCRT252520 | 10      |
|  | H-FCRT323220 | 1       |
|  | H-FCRT323225 | 5       |
|  | H-FCRT404025 | 9       |
|  | H-FCRT404032 | 1       |
|  | H-FCRT505025 | 7       |
|  | H-FCRT505032 | 7       |
|  | H-FCRT505040 | 2       |
| H-FCRT151520   | 5            |         |
| H-FCRT202025   | 5            |         |
| H-FCRT252532   | 1            |         |
| <b>COPPER BRAZING BUSHES - REDUCING</b>  |              |         |
|  | H-FCRB2015   | 10      |
|  | H-FCRB2515   | 10      |
|  | H-FCRB2520   | 5       |
|  | H-FCRB3215   | 1       |
|  | H-FCRB3220   | 1       |
|  | H-FCRB3225   | 1       |
|  | H-FCRB4015   | 1       |
| H-FCRB4020   | 1            |         |

## HALLMARK COPPER TUBE

\* All copper tube supplied by hallmark industries is manufactured under license to NZS3501.1976

\* Marked with licence number 2658.

\* It is manufactured for use in plumbing installations for the reticulation of water

\* The light Gauge Copper Tube is not recommended to be bent or manipulated. This practice voids any warranty

| Code       | Nominal Bore* |         | Outside Diameter |        | Thickness mm | Table |
|------------|---------------|---------|------------------|--------|--------------|-------|
|            | mm            | inch    | Max mm           | Min mm |              |       |
| H-CT15102  | 15            | (1/2)   | 14.73            | 14.65  | 1.02         | 1     |
| H-CT20102  | 20            | (3/4)   | 21.08            | 21     | 1.02         | 1     |
| H-CT25102  | 25            | (1)     | 27.43            | 27.35  | 1.02         | 1     |
| H-CT32122  | 32            | (1 1/4) | 34.19            | 34.11  | 1.22         | 1     |
| H-CT40122  | 40            | (1 1/2) | 40.54            | 40.46  | 1.22         | 1     |
| H-CT50122  | 50            | (2)     | 53.24            | 53.16  | 1.22         | 1     |
| H-CT65122  | 65            | (2 1/2) | 65.94            | 65.79  | 1.22         | 1     |
| H-CT80142  | 80            | (3)     | 79.04            | 78.89  | 1.42         | 2     |
| H-CT100163 | 100           | (4)     | 104.85           | 104.7  | 1.63         | 2     |

### Light Gauge

| Code      | Nominal Bore* |       | Outside Diameter |        | Thickness mm | Table |
|-----------|---------------|-------|------------------|--------|--------------|-------|
|           | mm            | inch  | Max mm           | Min mm |              |       |
| H-CT20090 | 21.08         | 42463 | 21.08            | 21     | 0.9          | 3     |

\*Hallmark Copper tube is supplied in 5 metre Standard lengths


### Warranty

\*All copper tube Supplied by Hallmark industries and marked with the Standard and licence number (NZS 3501.1976 Lic2658 is Guaranteed in accordance with the building code



### Limitations (Items Beyond the control of the manufacturer).

Hallmark is not able to warrant in any way effects caused by:

- \* the installation practices or workmanship of the installer
- \* The system design
- \* environment in which the tube is used
- \* the water quality used within the tube



## Waste Products





| BASKET WASTE  |             |   |
|---|-------------|---|
|    | H3-BW40AD   | 1 |
|   | H3-BW40     | 1 |
|   | H3-BWTAD    | 1 |
|   | H3-BWPL     | 1 |
| BOTTLE TRAP   |             |   |
|     | H1-BTE32/40 | 1 |
|   | H1-BTS32    | 1 |
|   | H1-BTS40    | 1 |
| POP-UP WASTE DOMED OR FLUSH CP  |             |   |
|     | H3-PW32S    | 1 |
|   | H3-PW32OFS  | 1 |
|   |             | 1 |
|   | H3-PW40     | 1 |
|   | H3-PW40OF   | 1 |
| H3-PWLC   | 1           |   |
| FLOOR WASTE -CHROME   |             |   |
|  | H-FW80SP    | 1 |
|   | H-FW100SP   | 1 |
|   | H-FW80R     | 1 |
|   | H-FW100R    | 1 |

| Code        | Dimension            |
|-------------|----------------------|
| H3-BW40     | 115 x 80 x 40mm      |
| H1-BTE32/40 | 60-110 x 330 x 32/40 |
| H1-BTS32    | 60-110 x 330 x 32mm  |
| H1-BTS40    | 60-110 x 330 x 40mm  |
| H3-PW32S    | 62 x 70 x 32mm       |
| H3-PW32OFS  | 62 x 70 x 32mm       |
| H3-PW40     | 62 x 70 x 40mm       |
| H3-PW40OF   | 62 x 70 x 40mm       |
| H-FW80SP    | 83 x 40 x 80mm       |
| H-FW100SP   | 110 x 40 x 100mm     |

\* All Wastes Supplied with back nut

\* Poly Washer

\* Chromium Plated Brass

| LONG TAIL BASIN WASTE CP  |           |    |
|---|-----------|----|
|  | H3-96LTC  | 10 |
|   | H3-96LTOF | 10 |
|   | H3-40LTC  | 10 |
|   | H3-40LTOF | 6  |
| SHORT TAIL BASIN WASTE CP   |           |    |
|  | H3-96STC  | 10 |
| SINK/BATH WASTE   |           |    |
|  | H3-90P    | 10 |
|   | H3-95C    | 10 |
|  | H3-90M    | 10 |
|   | H3-93C    | 10 |
|   | H3-94C    | 10 |

| Code      | Dimension      |
|-----------|----------------|
| H3-96LTC  | 62 x 70 x 32mm |
| H3-96LTOF | 62 x 70 x 32mm |
| H3-40LTC  | 60 x 70 x 40mm |
| H3-40LTOF | 60 x 70 x 40mm |
| H3-96STC  | 62 x 40 x 32mm |
| H3-90P    | 62 x 40 x 40mm |
| H3-95C    | 80 x 40 x 50mm |
| H3-90M    | 62 x 40 x 40mm |
| H3-93C    | 77 x 50 x 40mm |
| H3-94C    | 62 x 70 x 40mm |




H3-94C




H3-95C

## Tube and Hose

| Image  | Code       | Package |
|--|------------|---------|
| <b>STAINLESS STEEL RIPPLE TUBES</b>  |            |         |
|  | H-RT15/200 | 4       |
|  | H-RT15/300 | 10      |
|  | H-RT15/400 | 1       |
|  | H-RT15/500 | 1       |
|  | H-RT15/600 | 4       |
|  | H-RT20/200 | 10      |
|  | H-RT20/300 | 1       |
|  | H-RT20/400 | 1       |
|  | H-RT20/500 | 1       |
|  | H-RT20/600 | 1       |

### Ripple Tube

- \* 304 Stainless Steel Tube
- \* Max Working Pressure 16 Bar
- \* Available in 15mm and 20 mm diameters
- \* Temperature 0 - 120 °c

| Image  | Code        | Package |
|--|-------------|---------|
| <b>STAINLESS STEEL FLEXIBLE HOSES</b>  |             |         |
|  | H-FH15/200  | 10      |
|  | H-FH15/300  | 10      |
|  | H-FH15/400  | 10      |
|  | H-FH15/500  | 10      |
|  | H-FH15/600  | 10      |
|  | H-FH20/400  | 10      |
|  | H-FH15/100E | 10      |
|  | H-FH15/300E | 10      |
|  | H-FH15/400E | 10      |

### Flexible Braided Hose

- \* Temperature 0- 90 °c
- \* Max Working pressure to 10 Bar
- \* Stainless Steel Braid over EDPM Tube

### Tapered EDPM Seals

- \* Fitted with Teflon Slip Washer

### Ripple Tube Washer (H-RTW)

- \* Silicone Rubber 15mm
- \* Silicone Rubber 20mm






### Flexible Braided Hose Washers (H-FHW)

Tapered EDPM 15mm



## Taps Products

| BRASS HOSE TAP   |           |    |
|--|-----------|----|
|  | H-HT15M   | 10 |
|  | H-HT15F   | 10 |
|  | H-HT20M   | 5  |
|  | H-HT15MC  | 8  |
|  | H-HT15FC  | 8  |
|  | H-HT15MLK | 8  |
|  | H-HTLK    | 1  |

| CISTERN TAPS (CHROME PLATED)   |          |    |
|--|----------|----|
|  | H-CST15C | 10 |
| DISHWASHER TAPS NICKEL PLATED  |          |    |
|  | H-DWTMB  | 10 |
|  | H-DWTMR  | 10 |
|  | H-DWTFB  | 10 |
|  | H-DWTFR  | 10 |

### Hose Tap

- \* Pressure Rating: 1.6MPa
- \* Working Medium: Water , oil Gas
- \* Working Temperature: t≤120 °c
- \* Pipe Thread to ISO228



### Cistern Tap




- \* Pressure Rating: 0.6MPa
- \* Working Medium: Water
- \* Working Temperature: t≤100°c
- \* Pipe Thread to ISO228
- \* Chrome Plated

### Dishwasher Tap





- \* Pressure Rating: 0.6MPa
- \* Working Medium: Water
- \* Working Temperature: t≤100°c
- \* Pipe Thread to ISO228
- \* Nickel Plated

## Clips Products






| Image   | Code     | Package |
|---|----------|---------|
| <b>RUBBER INSULATED MUNZING RING 2 SCREWS<br/>TO FIT PVC DWV PIPE AND COPPER TUBE</b> |          |         |
|       | H-MRF15  | 10      |
|   | H-MRF20  | 10      |
|   | H-MRF25  | 10      |
|   | H-MRF32  | 10      |
|   | H-MRF40  | 10      |
|   | H-MRF50  | 10      |
|   | H-MRF65  | 10      |
|   | H-MRF80  | 10      |
|   | H-MRF100 | 10      |
| <b>GALVANIZED MUNZING RINGS<br/>TO FIT GALVANIZED PIPE</b>                            |          |         |
|     | H-MRZ15  | 10      |
|   | H-MRZ20  | 10      |
|   | H-MRZ25  | 10      |
|   | H-MRZ32  | 10      |
|   | H-MRZ40  | 10      |
|   | H-MRZ50  | 10      |
|   | H-MRZ65  | 10      |
|   | H-MRZ80  | 10      |
|   | H-MRZ100 | 10      |
| H-MRZ150  | 10       |         |

| Image  | Code     | Package |
|--|----------|---------|
|    | MRBZ10   | 100     |
|  | MRBZ10HD | 10      |
|  | MRBB10   | 50      |
| <b>BRASS MUNZING RINGS<br/>TO FIT COPPER TUBE</b>                                    |          |         |
|    | H-MRB15  | 50      |
|  | H-MRB20  | 50      |
|  | H-MRB25  | 20      |
|  | H-MRB32  | 20      |
|  | H-MRB40  | 10      |
|  | H-MRB50  | 20      |
| <b>RUBBER INSULATED MUNZING RING 1 SCREW<br/>TO FIT PVC DWV PIPE AND COPPER TUBE</b> |          |         |
|  | H-MRQ15  | 10      |
|  | H-MRQ20  | 10      |
|  | H-MRQ25  | 10      |
|  | H-MRQ32  | 10      |
|  | H-MRQ40  | 10      |
|  | H-MRQ50  | 10      |
|  | H-MRQ65  | 10      |
|  | H-MRQ80  | 10      |
|  | H-MRQ100 | 10      |
| H-MRQ150   | 10       |         |

## EzyPress® Fitting

| Description   | Diameter   | Order Code | Order Code |
|---|--|------------|------------|
|   | DN   | Water      | Gas        |
| <b>Coupling</b><br>                  | 15   | H-PCC15W   | H-PCC15G   |
|   | 20   | H-PCC20W   | H-PCC20G   |
|   | 25   | H-PCC25W   | H-PCC25G   |
|   | 32   | H-PCC32W   | H-PCC32G   |
|   | 40   | H-PCC40W   | H-PCC40G   |
|   | 50   | H-PCC50W   | H-PCC50G   |
|   | 65   | H-PCC65W   | H-PCC65G   |
|   | 80   | H-PCC80W   | H-PCC80G   |
|   | 100  | H-PCC100W  | H-PCC100G  |
| <b>Reducing Coupling</b><br>        | 20x15  | H-PCR2015W | H-PCR2015G |
|   | 25x15  | H-PCR2515W | H-PCR2515G |
|   | 25x20  | H-PCR2520W | H-PCR2520G |
|   | 32x15  | H-PCR3215W | H-PCR3215G |
|   | 32x20  | H-PCR3220W | H-PCR3220G |
|   | 32x25  | H-PCR3225W | H-PCR3225G |
|   | 40x20  | H-PCR4020W | H-PCR4020G |
|   | 40x25  | H-PCR4025W | H-PCR4025G |
|   | 40x32  | H-PCR4032W | H-PCR4032G |
|   | 50x20  | H-PCR5020W | H-PCR5020G |
|   | 50x25  | H-PCR5025W | H-PCR5025G |
|   | 50x32  | H-PCR5032W | H-PCR5032G |
|   | 50x40  | H-PCR5040W | H-PCR5040G |
|   | 65x25  | H-PCR6525W | H-PCR6525G |
|   | 65x32  | H-PCR6532W | H-PCR6532G |
|   | 65x40  | H-PCR6540W | H-PCR6540G |
|   | 65x50  | H-PCR6550W | H-PCR6550G |
|   | <b>Slip Repair Coupling</b><br> | DN15       | H-PCCR15W  |
| DN20  |  | H-PCCR20W  | H-PCCR20G  |
| DN25  |  | H-PCCR25W  | H-PCCR25G  |
| DN32  |  | H-PCCR32W  | H-PCCR32G  |
| DN40  |  | H-PCCR40W  | H-PCCR40G  |
| DN50  |  | H-PCCR50W  | H-PCCR50G  |
| DN65  |  | H-PCCR65W  | H-PCCR65G  |
| DN80  |  | H-PCCR80W  | H-PCCR80G  |
| DN100   |  | H-PCCR100W | H-PCCR100G |
| <b>Elbow 90° Male - Female</b><br> | 15   | H-PCB9015W | H-PCB9015G |
|   | 20   | H-PCB9020W | H-PCB9020G |
|   | 25   | H-PCB9025W | H-PCB9025G |
|   | 32   | H-PCB9032W | H-PCB9032G |
|   | 40   | H-PCB9040W | H-PCB9040G |
|   | 50   | H-PCB9050W | H-PCB9050G |

## EzyPress® Fitting

| Description   | Diameter  | Order Code      | Order Code      |
|---|---|-----------------|-----------------|
|   | DN  | Water           | Gas             |
| <b>Elbow 90°<br/>Female/Female</b><br>   | 15  | H-PCE9015W      | H-PCE9015G      |
|   | 20  | H-PCE9020W      | H-PCE9020G      |
|   | 25  | H-PCE9025W      | H-PCE9025G      |
|   | 32  | H-PCE9032W      | H-PCE9032G      |
|   | 40  | H-PCE9040W      | H-PCE9040G      |
|   | 50  | H-PCE9050W      | H-PCE9050G      |
|   | 65  | H-PCE9065W      | H-PCE9065G      |
|   | 80  | H-PCE9080W      | H-PCE9080G      |
|   | 100   | H-PCE90100W     | H-PCE90100G     |
| <b>Elbow 45°<br/>Female- Female</b><br> | 20  | H-PCE4520W      | H-PCE4520G      |
|   | 25  | H-PCE4525W      | H-PCE4525G      |
|   | 32  | H-PCE4532W      | H-PCE4532G      |
|   | 40  | H-PCE4540W      | H-PCE4540G      |
|   | 50  | H-PCE4550W      | H-PCE4550G      |
|   | 65  | H-PCE4565W      | H-PCE4565G      |
|   | 80  | H-PCE4580W      | H-PCE4580G      |
|   | 100   | H-PCE45100W     | H-PCE45100G     |
| <b>Equal Tee</b><br>                   | 15  | H-PCT15W        | H-PCT15G        |
|   | 20  | H-PCT20W        | H-PCT20G        |
|   | 25  | H-PCT25W        | H-PCT25G        |
|   | 32  | H-PCT32W        | H-PCT32G        |
|   | 40  | H-PCT40W        | H-PCT40G        |
|   | 50  | H-PCT50W        | H-PCT50G        |
|   | 65  | H-PCT65W        | H-PCT65G        |
|   | 80  | H-PCT80W        | H-PCT80G        |
|   | 100   | H-PCT100W       | H-PCT100G       |
|   | <b>Reducing Tee<br/>EndxEndxBranch</b><br> | 20x15x15        | H-PCRT201515W   |
| 20x20x15  |   | H-PCRT202015W   | H-PCRT202015G   |
| 20x15x20  |   | H-PCRT201520W   | H-PCRT201520G   |
| 25x25x15  |   | H-PCRT252515W   | H-PCRT252515G   |
| 25x25x20  |   | H-PCRT252520W   | H-PCRT252520G   |
| 32x32x15  |   | H-PCRT323215W   | H-PCRT323215G   |
| 32x32x20  |   | H-PCRT323220W   | H-PCRT323220G   |
| 32x32x25  |   | H-PCRT323225W   | H-PCRT323225G   |
| 40x40x32  |   | H-PCRT404032W   | H-PCRT404032G   |
| 50x50x40  |   | H-PCRT505040W   | H-PCRT505040G   |
| 65x65x50  |   | H-PCRT656550W   | H-PCRT656550G   |
| 80x80x65  |   | H-PCRT808065W   | H-PCRT808065G   |
| 100x100x80  |   | H-PCRT10010080W | H-PCRT10010080G |
| <b>End Cap</b><br>                     | 15  | H-PC15W         | H-PC15G         |
|   | 20  | H-PC20W         | H-PC20G         |
|   | 25  | H-PC25W         | H-PC25G         |
|   | 32  | H-PC32W         | H-PC32G         |
|   | 40  | H-PC40W         | H-PC40G         |
|   | 50  | H-PC50W         | H-PC50G         |
|   | 65  | H-PC65W         | H-PC65G         |
|   | 80  | H-PC80W         | H-PC80G         |
|   | 100   | H-PC100W        | H-PC100G        |



## EzyPress® Fitting

| Description   | Diameter     | Order Code   | Order Code   |
|---|--------------|--------------|--------------|
|   | DN           | Water        | Gas          |
| <b>MALE SPIGOT REDUCER</b><br>                         | 20x15        | H-PCRB2015W  | H-PCRB2015G  |
|   | 25x15        | H-PCRB2515W  | H-PCRB2515G  |
|   | 25x20        | H-PCRB2520W  | H-PCRB2520G  |
|   | 32x20        | H-PCRB3220W  | H-PCRB3220G  |
|   | 32x25        | H-PCRB3225W  | H-PCRB3225G  |
|   | 40x25        | H-PCRB4025W  | H-PCRB4025G  |
|   | 40x32        | H-PCRB4032W  | H-PCRB4032G  |
|   | 50x32        | H-PCRB5032W  | H-PCRB5032G  |
|   | 50x40        | H-PCRB5040W  | H-PCRB5040G  |
|   | 65x50        | H-PCRB6550W  | H-PCRB6550G  |
|   | 80x50        | H-PCRB8050W  | H-PCRB8050G  |
|   | 80x65        | H-PCRB8065W  | H-PCRB8065G  |
|   | 100x50       | H-PCRB10050W | H-PCRB10050G |
| 100x65  | H-PCRB10065W | H-PCRB10065G |              |
| 100x80  | H-PCRB10080W | H-PCRB10080G |              |
| <b>MALE ADAPTOR</b><br>                               | 15           | H-PMA15W     | H-PMA15G     |
|   | 20x15        | H-PMRA2015W  | H-PMRA2015G  |
|   | 20           | H-PMA20W     | H-PMA20G     |
|   | 25           | H-PMA25W     | H-PMA25G     |
|   | 32           | H-PMA32W     | H-PMA32G     |
|   | 40           | H-PMA40W     | H-PMA40G     |
| 50  | H-PMA50W     | H-PMA50G     |              |
| <b>FEMALE ADAPTOR</b><br>                            | 15           | H-PFA15W     | H-PFA15G     |
|   | 20           | H-PFA20W     | H-PFA20G     |
|   | 25           | H-PFA25W     | H-PFA25G     |
|   | 32           | H-PFA32W     | H-PFA32G     |
|   | 40           | H-PFA40W     | H-PFA40G     |
|   | 50           | H-PFA50W     | H-PFA50G     |
| <b>MALE UNION</b><br>                                | 15           | H-PUM15W     | H-PUM15G     |
|   | 20           | H-PUM20W     | H-PUM20G     |
|   | 25           | H-PUM25W     | H-PUM25G     |
|   | 32           | H-PUM32W     | H-PUM32G     |
|   | 40           | H-PUM40W     | H-PUM40G     |
|   | 50           | H-PUM50W     | H-PUM50G     |
| <b>FEMALE UNION</b><br>                              | 15           | H-PUF15W     | H-PUF15G     |
|   | 20           | H-PUF20W     | H-PUF20G     |
| <b>BACKPLATED FEMALE ELBOW</b><br>                   | 15           | H-PBBE15W    | H-PBBE15G    |
|   | 20           | H-PBBE20W    | H-PBBE20G    |
|   | 15x75        | H-PBBE1575W  | H-PBBE1575G  |
| <b>FEMALE ELBOW 90°</b><br><b>MALE ELBOW 90°</b><br> | 20           | H-PFE9020W   | H-PFE9020G   |
|   | 25x20        | H-PFRE2520W  | H-PFRE2520G  |
|   | 20           | H-PME9020W   | H-PFE9020G   |

## EzyPress® AS Tube

| Code       | Nominal Bore* |         | Outside Diameter |              |       |
|------------|---------------|---------|------------------|--------------|-------|
|            | mm            | inch    | Max mm           | Thickness mm | Table |
| H-CTB15AS  | 15            | (1/2)   | 12.7             | 0.91         | B     |
| H-CTB20AS  | 20            | (3/4)   | 19.05            | 1.02         | B     |
| H-CTB25AS  | 25            | (1)     | 25.4             | 1.22         | B     |
| H-CTB32AS  | 32            | (1 1/4) | 31.75            | 1.22         | B     |
| H-CTB40AS  | 40            | (1 1/2) | 38.1             | 1.22         | B     |
| H-CTB50AS  | 50            | (2)     | 50.8             | 1.22         | B     |
| H-CTB65AS  | 65            | (2 1/2) | 63.5             | 1.22         | B     |
| H-CTB80AS  | 80            | (3)     | 76.2             | 1.63         | B     |
| H-CTB100AS | 100           | (4)     | 101.6            | 1.63         | B     |

\* All copper tube supplied by hallmark industries is manufactured under license to AS1432:2004

\* Marked with licence number 23017

\* Hallmark AS Copper tube is supplied in 5 metre Standard lengths

### Warranty

\* All copper tube Supplied by Hallmark Industries and marked with the Standard and licence number (AS1432:2004 Lic23017) is Guaranteed in accordance with the building code

### Limitations (Items Beyond the control of the manufacturer

Hallmark is not able to warrant in any way effects caused by

\* the installation practices or workmanship of the installer

\* The system design

\* environment in which the tube is used

\* the water quality used within the tube



| Code        | Description  |
|-------------|--|
| H-F719AU-NZ | EzyPress 16mm Straight coupling AU copper to NZ copper |
| H-F723AU-NZ | EzyPress 20mm Straight coupling AU copper to NZ copper |








## REMS Tool For EzyPress® System

|   |   |  |
|---|---|--|
|    | <b>REMS Mini Press -For EzyPress® Sizes DN15 to DN32</b>      |  |
|   | <b>Code</b>   | <b>Description</b>   |
|   | H-RM578630  | VAU15 Mini Pressing Tong   |
|   | H-RM578632  | VAU20 Mini Pressing Tong   |
|   | H-RM578634  | VAU25 Mini Pressing Tong   |
|   | H-RM578636  | VAU32 Mini Pressing Tong   |
|   | H-RM578012  | REMS Mini Press ACC Press Tool                                   |
|   | H-RM571545  | 14.4V 1.6ah Battery (mini only)                                  |
|   | RMMINIVAU16-32  | Mini press kit VAU 16-32 with extra battery                      |
|   | <b>REMS Akku Press ACC For EzyPress® Sizes DN15 to DN100</b>  |  |
|   | <b>Code</b>   | <b>Description</b>   |
|   | H-RM572687  | VAU15 Akku Pressing Tong   |
|   | H-RM572689  | VAU20 Akku Pressing Tong   |
|   | H-RM572691  | VAU25 Akku Pressing Tong   |
|   | H-RM572693  | VAU32 Akku Pressing Tong   |
| H-RM572695  | VAU40 Akku Pressing Tong                                      |  |
| H-RM572697  | VAU50 Akku Pressing Tong                                      |  |
| H-RM572839  | VAU65 Akku Pressing Tong                                      |  |
| H-RM572840  | VAU80 Akku Pressing Tong                                      |  |
| H-RM572841  | VAU100 Akku Pressing Tong                                     |  |
| H-RM572802  | Z5 Akku Tong Adaptor (For 65-100)                             |  |
| H-RM571014  | REMS Akku Press ACC Press Tool only                           |  |
| H-RM572111  | REMS Power-Press SE   |  |
| H-RM571555  | 14.4V 3.2ah Battery   |  |
|  | <b>REMS Deburrer Cutter For EzyPress® Sizes DN15 to DN100</b> |  |
|   | <b>Code</b>   | <b>Description</b>   |
|   | H-RM113830  | 10-54mm REG Deburrer   |
|   | H-RM113835  | 10-54mm REG Deburrer(Drill Style                                 |
|   | H-RM113410  | 8-64mm Cu Cutter (Quick Adjustment)                              |
|   | H-RM113500  | 64-120 CU-INOX Cutter  |
|   | H-RM113840  | 28-108 REG Deburrer (Use With Cento)                             |
|   | H-RMCENTO   | REMS Cento Cutter Package 8-108mm(Includes Cento,CU Wheel,Stand) |



## EzyPex B (Water and Gas pipe system)

| Image   | Code                          | Description                           |
|---|-------------------------------|---------------------------------------|
|    | <b>H-PBFWBE1615</b>           | Pex B Female W/Back Elbow DN16x15mm   |
|   | <b>H-PBFWBE2020</b>           | Pex B Female W/Back Elbow DN20x20mm   |
|   | <b>H-PBMWBE1665</b>           | Pex B Male W/Back Elbow DN16x15x65mm  |
|   | <b>H-PBMWBE1695</b>           | Pex B Male W/Back Elbow DN16x15x95mm  |
|   | <b>H-PBMWBE20100</b>          | Pex B Male W/Back Elbow DN20x20x100mm |
|    | <b>H-PBE16</b>                | Pex B Elbow DN16mm                    |
|   | <b>H-PBE20</b>                | Pex B Elbow DN20mm                    |
|   | <b>H-PBE25</b>                | Pex B Elbow DN25mm                    |
|   | <b>H-PBRE2016</b>             | Pex B Reduce Elbow DN 20x16mm         |
|   | <b>H-PBRE2520</b>             | Pex B Reduce Elbow DN 25x20mm         |
|    | <b>H-PBFE1615</b>             | Pex B Female Elbow DN16x15mm          |
|   | <b>H-PBFE2015</b>             | Pex B Female Elbow DN20x15mm          |
|   | <b>H-PBFE2020</b>             | Pex B Female Elbow DN20x20mm          |
|   | <b>H-PBME1615</b>             | Pex B Male Elbow DN16x15mm            |
|   | <b>H-PBME2015</b>             | Pex B Male Elbow DN20x15mm            |
|   | <b>H-PBME2020</b>             | Pex B Male Elbow DN20x20mm            |
|   | <b>H-PBME2520</b>             | Pex B Male Elbow DN25x20mm            |
|   | <b>H-PBME2525</b>             | Pex B Male Elbow DN25x25mm            |
|  | <b>H-PBSC16</b>               | Pex B Straight Coupling DN16mm        |
|   | <b>H-PBSC20</b>               | Pex B Straight Coupling DN20mm        |
|   | <b>H-PBSC25</b>               | Pex B Straight Coupling DN25mm        |
|   | <b>H-PBRC2016</b>             | Pex B Reduce Coupling DN 20x16mm      |
|   | <b>H-PBRC2516</b>             | Pex B Reduce Coupling DN 25x16mm      |
|   | <b>H-PBRC2520</b>             | Pex B Reduce Coupling DN 25x20mm      |
|   | <b>H-PBFC1615</b>             | Pex B Female Coupling DN16X15m        |
|   | <b>H-PBFC2015</b>             | Pex B Female Coupling DN20x15m        |
|   | <b>H-PBFC2020</b>             | Pex B Female Coupling DN20x20m        |
|   | <b>H-PBFC2520</b>             | Pex B Female Coupling DN25x20m        |
|   | <b>H-PBFC2525</b>             | Pex B Female Coupling DN25x25m        |
|   | <b>H-PBMC1615</b>             | Pex B Male Coupling DN16x15mm         |
|   | <b>H-PBMC2015</b>             | Pex B Male Coupling DN20x15mm         |
|   | <b>H-PBMC2020</b>             | Pex B Male Coupling DN20x20mm         |
|   | <b>H-PBMC2520</b>             | Pex B Male Coupling DN25x20mm         |
| <b>H-PBMC2525</b>   | Pex B Male Coupling DN25x25mm |                                       |
|  | <b>H-PBT16</b>                | Pex B Equal Tee DN16mm                |
|   | <b>H-PBT20</b>                | Pex B Equal Tee DN20mm                |
|   | <b>H-PBT25</b>                | Pex B Equal Tee DN25mm                |
|   | <b>H-PBRT201616</b>           | Pex B Reduce Tee DN20x16x16mm         |
|   | <b>H-PBRT202016</b>           | Pex B Reduce Tee DN20x20x16mm         |
|   | <b>H-PBRT201620</b>           | Pex B Reduce Tee DN20x16x20mm         |
|   | <b>H-PBRT252516</b>           | Pex B Reduce Tee DN25x25x16mm         |
|   | <b>H-PBRT252020</b>           | Pex B Reduce Tee DN25x20x20mm         |
|   | <b>H-PBRT252520</b>           | Pex B Reduce Tee DN25x25x20mm         |
|   | <b>H-PBRT251625</b>           | Pex B Reduce Tee DN25x16x25mm         |
| <b>H-PBRT252025</b>   | Pex B Reduce Tee DN25x20x25mm |                                       |

## EzyPex B (Water and Gas pipe system)

| Image   | Code  | Description  |
|---|---|--|
|    | <b>H-PBC16</b><br><b>H-PBC20</b><br><b>H-PBC25</b>  | Pex B End Cap DN16mm<br>Pex B End Cap DN20mm<br>Pex B End Cap DN25mm   |
|    | <b>H-PBFSC1615</b><br><b>H-PBFSC2015</b><br><b>H-PBFSC2020</b><br><b>H-PBSE1615</b><br><b>H-PBSE2020</b>  | Pex B Female Swivel Couple 16x15mm<br>Pex B Female Swivel Couple 20x15mm<br>Pex B Female Swivel Couple 20x20mm<br>Pex B Swivel Elbow 16x15mm<br>Pex B Swivel Elbow 20x20mm   |
|  | <b>H-PBP16100W</b><br><b>H-PBP20100W</b><br><b>H-PBP1650G</b><br><b>H-PBP2050G</b><br><b>H-PBP2550G</b><br><b>H-PBCLP16</b><br><b>H-PBCLP20</b><br><b>H-PBCLP25</b><br><b>H-PBCT1632</b><br><b>H-PBCT1620</b><br><b>H-PBR162025</b> | Pex B Pipe Black 16 x 2.0mm x 100m<br>Pex B Pipe Black 20 x 2.0mm x 100m<br>Pex B Pipe 16 x 2.0mm x 50m Gas<br>Pex B Pipe 20 x 2.0mm x 50m Gas<br>Pex B Pipe 25 x 2.5mm x 50m Gas<br>Pex B Pipe Clips With Nail 16mm<br>Pex B Pipe Clips With Nail 20mm<br>Pex B Pipe Clips With Nail 25mm<br>Pex B Pipe Cutter 16-32mm<br>Pex B Pipe Cutter 16-20mm<br>Pex B Plastic Reamer 16-25mm |

